

AD-A262 376

REPORT DOCUMENTATION

Public report burden for this collection of information is estimated to average 1 hour per gathering and maintaining the data needed, and completing and reviewing the related collection of information, including suggestions for reducing this burden. To Washington Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Washington, DC 20503.

ved
104-0158
(1)

existing data sources or
by other means of the
reports, 1215 Jefferson
St., Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED	
	18 SEPT 1985	final	
4. TITLE AND SUBTITLE An Intensive Cultural Resources Survey at Walnut Bend Levee, Lee Co., AR		5. FUNDING NUMBERS c DACW66-85-M-1519	
6. AUTHOR(S) W.J. Bennett, Jr.			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Archaeological Assessments, Inc. Nashville, AR		8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Dept. of the Army Memphis District Corps of Engineers B-202 Clifford Davis Federal Bldg. Memphis, TN 38103		10. SPONSORING / MONITORING AGENCY REPORT NUMBER 192	
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION / AVAILABILITY STATEMENT Unlimited		12b. DISTRIBUTION CODE	
DISTRIBUTION STATEMENT A Approved for public release Distribution Unlimited			
13. ABSTRACT (Maximum 200 words) An intensive cultural resources survey was conducted within approximately 40 acres at the Walnut Bend Levee project area, Lee Co., AR. Three separate parcels of land to be impacted by pending levee repair work were examined. No cultural resources had been previously recorded for the project area and none were located during the field work			
14. SUBJECT TERMS <i>20000920326</i>		15. NUMBER OF PAGES 7	
		16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT

DTIC
SELECTED
MAR 16 1993
S B

GENERAL INSTRUCTIONS FOR COMPLETING SF 298

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filling in each block of the form follow. It is important to stay within the lines to meet optical scanning requirements.

Block 1. Agency Use Only (Leave blank).

Block 2. Report Date. Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least the year.

Block 3. Type of Report and Dates Covered.

State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g. 10 Jun 87 - 30 Jun 88).

Block 4. Title and Subtitle. A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.

Block 5. Funding Numbers. To include contract and grant numbers; may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:

C - Contract	PR - Project
G - Grant	TA - Task
PE - Program Element	WU - Work Unit
	Accession No.

Block 6. Author(s). Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).

Block 7. Performing Organization Name(s) and Address(es). Self-explanatory.

Block 8. Performing Organization Report Number. Enter the unique alphanumeric report number(s) assigned by the organization performing the report.

Block 9. Sponsoring/Monitoring Agency Name(s) and Address(es). Self-explanatory.

Block 10. Sponsoring/Monitoring Agency Report Number (if known)

Block 11. Supplementary Notes. Enter information not included elsewhere such as: Prepared in cooperation with...; Trans. of...; To be published in.... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

Block 12a. Distribution/Availability Statement

Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NOFORN, REL, ITAR).

DOD - See DoDD 5230.24, "Distribution Statements on Technical Documents."

DOE - See authorities.

NASA - See Handbook NHB 2200.2.

NTIS - Leave blank.

Block 12b. Distribution Code.

DOD - Leave blank.

DOE - Enter DOE distribution categories from the Standard Distribution for Unclassified Scientific and Technical Reports.

NASA - Leave blank.

NTIS - Leave blank.

Block 13. Abstract. Include a brief (Maximum 200 words) factual summary of the most significant information contained in the report.

Block 14. Subject Terms. Keywords or phrases identifying major subjects in the report.

Block 15. Number of Pages. Enter the total number of pages.

Block 16. Price Code. Enter appropriate price code (NTIS only).

Blocks 17. - 19. Security Classifications. Self-explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.

Block 20. Limitation of Abstract. This block must be completed to assign a limitation to the abstract. Enter either UC (unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.

ARCHEOLOGICAL ASSESSMENTS REPORT No.46

An Intensive Cultural Resources Survey
at
Walnut Bend Levee,
Lee County, Arkansas

by

W. J. Bennett, Jr.

Reproduced From
Best Available Copy

98 3 16 018

93-05405

Q1P6

**ARCHEOLOGICAL
ASSESSMENTS, Inc.**

CORPORATE OFFICE
2 Pleasant Mountain Dr.
P. O. Box 3631
Mashville, AR 71852
(501) 845-4348

(192)

ARQUEOLOGICAL ASSESSMENTS REPORT No.46

An Intensive Cultural Resources Survey
at
Walnut Bend Levee,
Lee County, Arkansas

by

W. J. Bennett, Jr.

Report Submitted
to the
Memphis District, Corps of Engineers
Memphis, Tennessee

DACW66-85-M-1519

September 18, 1985

ABSTRACT

An intensive cultural resources survey was conducted within approximately 40 acres at the Walnut Bend levee project area, Lee County, Arkansas. Three separate parcels of land to be impacted by pending levee repair work were examined. No cultural resources had been previously recorded for the project area and none were located during field work. No further archeological investigations were recommended.

DECEMBER 1977 UNCLASSIFIED 1

Accession For	
NTIS GRAHI	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unpublished	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
R-1	

Table of Contents

	Page
Abstract	i
Introduction	1
Investigations	3
Recommendations	6
References Cited	7
Appendix I - Scope of Work	

LIST OF FIGURES

Figure 1. Location of Project Area	2
Figure 2. Location of Transects	4

An Intensive Cultural Resources Survey
at
Walnut Bend Levee,
Lee County, Arkansas

INTRODUCTION

Project Background

Construction work has been proposed for portions of a levee near Walnut Bend in Lee County, Arkansas. This will include work to the levee itself and will require the acquisition of borrow material from the vicinity. As part of its cultural resource management program the US Army Corps of Engineers, Memphis District, contracted with Archeological Assessments, Inc., Nashville, Arkansas, to perform an intensive cultural resources survey in those areas which could potentially be impacted by this undertaking.

This work was done under the authority of and in compliance with the National Environmental Policy Act of 1969 (Public Law 91-190), the National Historic Preservation Act of 1966 (Public Law 89-665), Executive Order 11593 (Protection and Enhancement of the Cultural Environment), the Archeological and Historic Preservation Act of 1974 (Public Law 93-291) and other authorities. Work was authorized by Purchase Order Number DACW66-85-M-1519.

Project Area Location and Description

The project area contains approximately 40 acres and consists of three separate parcels; two located landside of the levee and one located riverside of the levee. These parcels are located in the central portion of Section 4 and the eastern portions of Section 5, Range 5 East, Township 1 North, in eastern Lee County, Arkansas (Figure 1). The project area is situated in the Mississippi River Embayment (Haley 1976) within the latest of the meander belts mapped by Saucier (1974).

Soils in the area are composed of the Sharkey-Newellton-Tunica association which consists of slack-water flats broken by undulating areas of alternating swales and low ridges. Adjacent to the parcels are soil units mapped as Fluvaquents which are slack water deposits in borrow pit areas (Gray 1977). Soils in the landside parcels are composed of the Sharkey Series which has formed in slack water on broad flats. Soils in the riverside parcel include the Tunica Series, frequently flooded, and the Newellton Series, frequently flooded. Both of these exist primarily between the levee and the Mississippi River and are flooded from 3 - 95 days per year. A small segment of Robinson fine sandy loam which forms on young natural levees is also within the parcel.

Vegetation in this area has been heavily modified by farming and construction activities.




Figure 1. Location of Project Area. Map Source: USGS Quadrangle Sheet, Latour Sheet, 15 Minute. Scale: 5.5cm = 1 mile

INVESTIGATIONS

Background Research

Previous research in the region has determined that human occupation of the area extends back at least 12,000 years. Paleo-Indian, Archaic, Woodland, Mississippian, and Historic period sites are known for the Mississippi River Embayment region. However, because of the extremely dynamic geomorphological processes at work in the project area it was not expected that sites earlier in time than the Woodland period would have surface manifestations within the project area. This expectation did not influence the use of field examination strategies or tactics.

Prior to field work the records of the Arkansas Archeological Survey and the Office of the State Preservation Officer were examined and it was determined that no previously recorded sites existed in the project area. A similar survey effort in adjacent parcels of land along the Walnut Bend levee also did not locate any cultural resources (Bennett 1984).

No properties listed on the National Register of Historic Places are located within the project area.

Field Work

Field work was conducted on September 14, 1985, by W. J. Bennett, Jr., and Robert Bennett. The parcels to be examined were divided into units landside and units riverside of the levee. At the time of survey both areas were covered by soybean crops standing from waist to chest high. It was extremely difficult to traverse these fields. However, a series of transects placed at approximately 25m intervals were walked across the landside portion of the project area. Because of the heavy vegetation it was possible only to use transects spaced at about 50m intervals in the riverside portions of the project area (Figure 2).

While the vegetation obscured the ground surface it was possible to push back the beans to view the mineral soil throughout the project area. This was done along the transects at approximately 25 m intervals.

Shovels tests were conducted to identify the basic soil profiles in the parcels. In the landside parcels the soil profile consisted of a uniform very dark brown clay to a depth of 35 cm as was observed in this area previously (Bennett 1984). In the riverside parcels the soil profiles indicated a considerable amount of very recent alluviation over both a dark brown clay and light brown sandy soil reflecting very recent sedimentation .

Field observations were consistent with the suggestion that the landside portions of the project area are in an old river or stream channel (Bennett 1984: 5).




Figure 2. Location of Transects. Dark lines indicate orientation and placement of pedestrian transects. Scale 11cm = 1 mile.

Results

Judging from the natural setting and the recent land modifications it is highly unlikely that cultural resources exist in the project area. None were encountered during field work.

RECOMMENDATIONS

No further archeological investigations are recommended for the project area.

more searching and less

Cultural Resource Literature Search and Intensive Survey, Part 2,
St. Walton Bend Levee, Lee County, Arkansas

Preston - Standard

of the same species, and the same species of the same genus, and the same genus of the same family, and the same family of the same order, and the same order of the same class, and the same class of the same phylum, and the same phylum of the same kingdom, and the same kingdom of the same domain.

卷之三

(1) Archaeological Research for Prudential Investments
This is the third of our main projects or research
programmes. It is concerned with the development
of methods and techniques for the archaeological
investigation of potential sites for investment.
The work is carried out by a team of archaeologists
and geologists who have been specially trained
in the use of scientific methods of investigation.
The results of this work are used to help in the
selection of sites for investment, and to provide
information on the likely impact of proposed
developments on the environment.

Graduates of the program receive a B.A. or B.S. degree from an undergraduate university. Graduates of two years of study receive a certificate in anthropology and

- (1) Architectural Historian. The architect or professional qualified in architecture, history and a graduate degree in one of sciences, history, historical preservation or closely related fields, i.e., Surveying, American architecture, history, or a university related dealer, museum, organization, or agency, research, or other professional, historical preservation, or closely related field plus one of the following:

(a) At least two years full-time experience in research, writing, teaching in American history or related architecture with an academic institution, historical organization or agency, museum, or other professional, historical preservation, or closely related field plus one of the following:

(b) Substantial contribution through research and publication to a body of scholarly literature in a field of American architectural history.

(c) Other professional qualifications. An equivalent combination of education and experience may be substituted for those given above. A graduate degree from an accredited college or university, or equivalent, in history or related field, plus one year of successful graduate study with concentration in architecture or archaeology.

(d) Other qualifications. Persons in any occupation having a supervisory position at the level of S.A. 1, 2, or R.A. 1 degree with a concentration in either day or night work in the course of field or laboratory experience to those similar to those used in purchases under purchase orders.

(e) Crew members of ships, aircraft, and crew service as an apprentice deck officer, seaman, or gunner, or equivalent, in the Merchant Marine, or equivalent, in the civilian or military service to be used in purchases under purchase orders.

(f) Other experience comparable with the experience of individuals described, described by analysis, nature of services rendered, and characteristics may be required by the contracting officer to qualify the period of service of the contractor.

(g) All operations which may be conducted under the operation of industrial, agricultural, or mining equipment to be used in purchases under purchase orders, described by analysis, nature of services rendered, and characteristics may be required by the contracting officer to qualify the period of service of the contractor.

(h) The Contractor will be required to furnish the name of the principal contractor, the address of the principal contractor, and the name, address, and telephone number of the principal contractor to the contracting officer at the time of award of contract. In the event of a change in control of the principal contractor, the principal contractor shall be required to furnish the name, address, and telephone number of the principal contractor to the contracting officer at the time of award of contract.

Fig. 6. The character of the new elements introduced by the sedimentation of the sea.

value appropriate estate title survey, form and any other cultural resource plan or record, the J. and M. "Prologue" necessary to successfully manage revenue to all three forms of money.

C-1. To conduct the field investigation, the Contractor will obtain all necessary permits, licenses, and approvals from all local, state and federal agencies. Should it become necessary in the performance of the work and services of the Contractor to secure the right of ingress and egress to certain areas, any of the work required therein on properties not owned or controlled by the Government, the Contractor shall secure the consent of the owner, his representative, or agent, prior to directing entry or performing work on such property.

C-1.3. Innovative approaches to site location, collection, description and analysis, consistent with other features of this contract and the cultural resources requirements of the Government, are encouraged.

C-1.4. No mechanical power equipment shall be utilized in any cultural resource activity without specific permission of the Contracting Officer.

C-1.5. The Contractor shall furnish expert personnel to attend conferences and furnish testimony in any judicial proceeding involving the archaeological, historical, ethnological, analytical, and report, when required, services, agents for these services and payment therefor will be made by representatives of either the Corps of Engineers or the Department of Defense.

C-1.6. The Contractor prior to the acceptance of the final report, shall release any sketch, photograph, report or other material of any nature or lineage or presented under this contract without specific written approval of the Contracting Officer.

C-1.7. The extent and character of the work to be accomplished by the Contractor shall be subject to the general supervision, direction, control and approval of the Contracting Officer. The Contracting Officer may have a representative of the Government present during any or all phases of the described cultural resource project.

C-1.8. The Contractor shall obtain Corps of Engineers Safety Manual (EM105-91) and comply with all appropriate provisions. Particular attention is directed to safety requirements relating to the deep excavation of soil.

C-1.9. There will be two categories of meetings between Contractor and Contracting Officer: (1) scheduled formal conferences to review contract performance, and (2) informal, unscheduled meetings for clarification, coordination and discussion. The initial meeting may be held prior to the beginning of field work. Category (1) meetings will be advised by the Contracting Officer and will be held at the most convenient location, to be chosen by the Contracting Officer. This may obviate the need for the Project Office, but generally will be at the office of the Contracting Officer.

C-2. STUDY AREA.

The study area consists of approximately 40 acres located in Lee County, Arkansas. The overall right-of-way extends from Station 108/1059 to 210/7350. Landuse of the levee the right-of-way extends from Sc 105/4793 to 233/6220 and 210/7350 to 210/7350 and 400 feet (131.92 meters) landward of the existing berm edge (see attached blue line). A levee of the levee the right-of-way extends from Station 209/1800 to 210/7350 and is located from 950 feet (295.36 meters) to 1,050 feet (320.08 meters) riverward of the levee (see attached blue lines). The right of way, to be surveyed, then extends 500 feet (152.4 meters) riverward (see attached blue lines). The project can be located on the Lester Arkansas-Mississippi, 15 minute Quadrangle map, TIN, RSD, Sec. 6 center.

C-3. DEFINITIONS.

C-3.1. "Cultural Resources" are defined to include any building, site, district, structure, object, date, or other material relating to the history, architecture, archaeology, or culture of an area.

C-3.2. "Background and Literature Search" is defined as a comprehensive examination of existing literature and records for the purpose of inferring the potential presence and character of cultural resources in the study area. The examination may also serve as collateral information to field data in evaluating the eligibility of cultural resources for inclusion in the National Register of Historic Places or in mitigating losses of significant data in such resources.

C-3.3. "Intensive Survey" is defined as a comprehensive, systematic, and detailed on-the-ground survey of an area, of sufficient intensity to determine the number, types, extent and distribution of cultural resources present and their relationship to project features.

C-3.4. "Mitigation" is defined as the mitigation of losses of significant prehistoric, historic, or architectural resources which will be accomplished through planned actions to avoid, preserve, protect, or minimize adverse effects upon such resources or to recover a representative sample of the value they contain by implementation of scientific research and other professional techniques and procedures. Mitigation of losses of cultural resources but not limited to, such measures as: (1) recovery and preservation of an adequate sample of archaeological data to allow for analysis and published interpretation of the cultural and environmental conditions prevailing at the time(s) the area was utilized by man; (2) recording, through architectural, quality photographic and/or measured drawings of buildings, structures, districts, sites and objects and deposition of such documentation in the Library of Congress as a part of the National Architectural and Engineering Record; (3) relocation of buildings, structures and objects; (4) modification of plans or authorized projects to provide for preservation of resources to place; (5) reduction or elimination of impacts by engineering solutions to avoid mechanical effects of wave wash, scour, sedimentation and related processes and the effects of saturation.

C-3.5. "Neotominales" is defined as an on-the-ground examination of selected portions of the study area, and related analyses are to assess

The general nature of resources in the overall study area and the probable impact on resources of alternate plans under consideration. Normally recommendations will involve the intensive examination of not more than 5 percent of the total proposed impact area.

c-3. "Significance" is attributable to those cultural resources of historical, archaeological, or architectural value which properties are included in or have been determined by the Secretary of the Interior to be eligible for inclusion in the National Register of Historic Places after evaluation against the criteria contained in 36 CFR 67.

c-3. "Testing" is defined as the systematic removal of the scientific, prehistoric, historic, and/or archaeological data that provide an understanding of archaeological property with its research or date value. Testing may include controlled surface survey, shovel testing, profiling, and limited subsurface test excavations of the properties to be affected for purposes of research planning, the development of specific plans for research activities and excavation, preparation of notes and records, and other forms of prehistoric removal of data and the analysis of such data and material, preparation of reports on such data and material and dissemination of reports and other products of the research. Subsurface testing shall not proceed to the level of mitigation.

c-3.3. "Analysis" is the systematic examination of material data, environmental data, ethnographic data, written records, or other data which may be preferable to adequately evaluating those qualities of cultural loci which contribute to their significance.

c-4. GENERAL PERFORMANCE SPECIFICATIONS.

c-4.1. Research Design.

Survey and testing will be conducted within the framework of a regional research design for prehistoric and historic resources, which should consider the problems of settlement and subsistence and the relationship between the chronological and various cultural systems. The research design shall appear in the report of investigation. In view of the relative sparsity of available information on many classes of cultural resources data, it is not expected that this research design will contain highly refined models. In this category, it is expected that the design will be justified and refined as more are accumulated.

c-4.2. Background and Literature Search.

a. This task shall include an examination of the historic and prehistoric environmental setting and cultural background of the study area and shall be of sufficient magnitude to achieve a detailed understanding of the overall cultural and environmental context of the study area. It is anticipated that the background and literature search shall normally precede the initiation of all other fieldwork.

b. Information and data for the literature search shall be obtained, as appropriate, from the following sources: (1) Scholarly reports - books, monographs, theses, dissertations and unpublished papers; (2) Official Records

- Federal, state, county and local levels, property deeds, public works and other regulatory department records and maps; (3) Libraries and Museums - both regional and local libraries, historical societies, universities, and museums; (4) Other repositories - such as private collections, papers, photographs, etc.; (5) Archaeological site files at local universities, the State Historic Preservation Office, the office of the State Archaeologist; (6) Consultation with qualified professionals familiar with the cultural resources in the area, as well as consultation with professionals in associated areas such as history, archaeology, georophology, ecomorphology, and ethnology.

c. The Contractor shall include as an appendix to the draft and final reports written evidence of all consultation and any subsequent response(s), including the dates of such consultation and communication.

d. The background and literature search shall be performed in such a manner as to facilitate the construction of productive statements (to be included in the study report) concerning the probable quantity, character, and distribution of cultural resources within the project area. In addition, information obtained in the background and literature search should be of such scope and detail as to serve as an adequate data base for subsequent field work and analysis in the study area undertaken for the purpose of discerning the character, distribution and significance of specific identified cultural resources.

e. In order to accomplish the objectives described in paragraph C-4.2.d, it will be necessary to attempt to establish a relationship between landforms and the patterns of their utilization by successive groups of human inhabitants. This task should involve defining and describing various zones of the study area with specific reference to such variables as past topography, potential fossil resources, soils, geology, and water channel history.

C-4.3. Intensive Survey.

a. Intensive Survey shall include the on-the-ground examination of the project areas described in paragraph C-2.

b. Unless excellent ground visibility and other conditions conducive to the observation of cultural evidence occurs, shovel test pits, or comparable subsurface excavation units, shall be installed at intervals no greater than 10 meters throughout the study area. Note that auger augered, probe, and coring tools will not be considered comparable subsurface units. Shovel test pits shall be minimally 30 x 30 centimeters in size and extend to a minimum depth of 30 centimeters. Unit fill material shall be screened using 1/4" mesh hardware cloth. Additional shovel test pits shall be excavated in areas judged by the Principal Investigator to display a high potential for the presence of cultural resources. If, during the course of intensive survey activities, areas are encountered in which disturbance or other factors clearly and decisively preclude the possible presence of significant cultural resources, the Contractor shall carefully examine and document the nature and extent of the factors and then proceed with survey activities in the remainder of the study area. Documentation and justification of such action

shall appear in the survey report. The location of all shovel test units and surface observations shall be recorded.

5. When cultural remains are encountered, horizontal site boundaries shall be derived by the use of surface observation procedures (including controlled surface collection procedures described in Paragraph C-4,4.a below) in such a manner as to allow precise location of site boundaries on subsequent project drawings and 7.5 minute U.S.G.S. quad maps when available. Method used to establish site boundaries shall be discussed in the survey report (which will the probable boundary of the boundaries). The Contractor shall establish a datum at the discovered cultural loci which shall be physically related to the site boundaries as well as to permanent reference points (in terms of azimuth and distance) by means of a transit level. If possible, the permanent reference point used shall appear on Government planimetric (project) drawing and/or 7.5 minute U.S.G.S. quad maps. If no permanent landmark is available, a permanent datum shall be established in a remote location for use as a reference point. The permanent datum shall be precisely plotted and shown on U.S.G.S. quad maps and project drawings. All discussions of site location shall refer to the location of the primary site datum.

6. All standing buildings and structures (excluding vehicular bridges) shall be recorded and destroyed. For a building to be considered standing, it shall retain four walls and at least a skeletal roof structure. A building or structure found in the field to be partially or totally collapsed will be considered an archaeological site. In these cases, data concerning construction material and technique and floor plan, if discernible, must be collected. The Contractor shall apply preliminary information concerning the availability of a structure or building for relocation and restoration (archaeological anomalies for example).

Surface Collection and Subsurface Testing Activities.

Initial Site Surface Collection and Subsurface Testing.

(1) Surface collection of the site area shall be accomplished in order to obtain data representative of total site surface content. Both historic and prehistoric items shall be collected. The Contractor shall carefully note and record descriptions of surface conditions of the site including ground cover and the availability of soil surfaces for detecting cultural items (i.e.: recent rainfall, standing water or mud). If ground surfaces are not highly conducive to surface collection, accelerated shovel test units shall be used to augment surface collection procedures. It should be noted, however, that such units should be substituted for total surface collection only where the practice of ground cover requires such techniques.

(2) Care should be taken to avoid bias in collecting certain classes of data or artifact types to the exclusion of others (i.e.: debitage or faunal remains) as to insure that collections accurately reflect both the full range and the relative proportions of data classes present (i.e.: the proportion of debitage to implements or types of implements to each other). The selective cut action of limited classes of artifacts (such as ethnologically significant artifacts) is unacceptable. Such a collecting

strategy shall require the total collection of quadrat or other sample units in sufficient quantities and adequate distribution to reasonably assure that sample data are representative of such discrete sites subsurface as may exist. Since the number and placement of such sample units will depend, in part, on the subjective evaluation of inter-site variability, and the amount of ground cover, the Contractor shall describe the rationale for the number and distribution of collection units. In the event that the Contractor utilizes systematic sampling procedures in obtaining representative surface samples, care should be taken to avoid periodicity in recovered data. No individual sample unit type used in surface data collection shall exceed 36 square meters in area. Unless a smaller fraction is approved by the Contracting Officer, surface collected areas shall constitute no less than 25 percent of the total site areas. Detailed results of controlled surface collections shall be graphically depicted in plan view in the report of investigations.

(3) The Contractor shall undertake (in addition and subsequent to sample surface collecting) a general site collection in order to increase the sample size of certain classes of data which the Principal Investigator may deem prerequisite to an adequate site-specific and inter-site evaluation of data. (4) As an alternative to surface collecting procedures discussed above, where surface viability is excellent, the Contractor may collect all visible artifacts. If such a procedure is undertaken, the precise provenience of all individual artifacts shall be related to the primary site datum by means of a transite level.

(5) Unless it can be conclusively and definitely demonstrated that no significant subsurface cultural resources occur at a site, the Contractor shall install in each appropriate site a minimum of one 1 x 1 meter subsurface test unit to determine the presence and general nature of a subsurface deposit.

(6) Subsurface test units (other than shovel test units) shall be excavated in levels no greater than 10 centimeters. Where cultural material or plow disturbance is present, however, excavated material shall be removed by zones (and in 10 cm. levels within zones where possible). Subsurface test units shall extend to a depth of at least 20 centimeters below artifact bearing soils. A portion of each test unit, measured from one corner (of a minimum 10 x 10 centimeter), shall be excavated to a depth of 40 centimeters below artifact bearing soils. All excavated material (including plow zone material) shall be screened using a maximum of 1/4" mesh hardware cloth. Representative profile drawings shall be made of excavated units. Subsequent to preparation of profile drawings for each test unit, the soil shall be backfilled and compacted to provide reasonable protection safety.

(7) Strategic horizontal spatial control of testing shall be maintained by relating the location of all collection and test units to the primary site datum either by means of a grid system (including those used in controlled surface collection) or by azimuth and distance.

(8) Other types of subsurface units may, as the Contractor's option, be utilized in addition to those units required by this Scope of Work.

(4) Cultural Resource Recording and Numbering. For each archaeological site or architectural property recorded during the survey, the Contractor shall complete and submit the Standard Archaeological Site or Architectural Property Survey Form, respectively. The Contractor shall be responsible for reproducing or documenting a sufficient quantity of these forms to meet the needs of the project. The Contractor shall be responsible for coordinating with the appropriate state agency to obtain state site-file numbers for each archaeological site and architectural property recorded. Authorized state numbers shall be used in the draft and final reports.

D. Additional Investigations.

(1) Additional subsurface test sites may be required at any loci. The proposed number and distribution of such test sites shall be determined by the Principal Investigator on a site specific basis. This determination shall be based on such variables as site size and potential increase in variability, including physiographic and geomorphological characteristics of the loci which may suggest variability in the presence or distribution of subsurface cultural deposits. The Contractor shall detail the rationale(s) for the placement and numbers of such test sites in the Management Summary and report of field activities. Additional reporting requirements, including background literature and classification of standard buildings and structures may also be required at some sites. The exact nature of additional examination, the schedule, and the price of the work shall be negotiated with the Contracting Officer, and if an agreement is reached, a change order shall be issued prior to conduct of the work. Additional investigations will provide a data base of sufficient nature to allow a determination of site eligibility to the National Register of Historic Places.

(2) In order to accurately relate a site to research database, (i.e. date, significance or insignificance), a variety of data gathering techniques may be required to insure recovery of the various types of data which may be present at the site. These techniques may include but not be limited to radiocarbon dating, flotation and excavation of cultural features, etc. Where appropriate, these types of data gathering activities should be integral elements of the testing strategy.

E. Laboratory Processing, Analysis, and Preservation.

All cultural materials recovered will be cleaned and stored in deterioration resistant containers suitable for long term curation. Diagnostic artifacts, defined below, will be labeled and catalogued individually. A diagnostic artifact is defined herein as any object which can be used individually to the needs of analysis required by the research design. All other artifacts recovered and initially be placed in labeled, deterioration resistant containers, and the items catalogued. The Contractor shall describe and analyse all cultural materials recovered in accordance with current professional standards. Artifactual and non-artifactual evidence shall be of an adequate level and nature to fulfill the requirements of the scope of work. All recovered cultural items shall be catalogued in a manner consistent with Alabama state requirements. The Contractor shall consult with appropriate state officials as soon as possible following the

completion of field work in order to obtain information (ex: accession numbers) prerequisite to such cataloguing procedures.

C-6.6. Curation.

Efforts to insure the permanent curation of properly catalogued cultural resources material in an appropriate institution shall be considered an integral part of the requirements of this Scope of Work. The Contractor shall pay all costs of the preparation and permanent curation of records and artifacts. Recovered materials and data pertaining thereto shall be curated within the state if possible. This arrangement shall be confirmed by the Contractor and the Alabama State Historic Preservation Officer, subject to the approval of the Contracting Officer, prior to the acceptance of the final report.

C-5. GENERAL REPORT REQUIREMENTS.

(1) The primary purpose of the cultural resources report is to serve as planning tool which aids the Government in meeting its obligation to preserve and protect our cultural heritage. The report shall be in the form of a comprehensive, scholarly document that not only fulfills mandated legal requirements but also serves as a scientific reference for future cultural resource studies. As such, the report's content must be not only descriptive but also analytic in nature.

(2) Upon completion of all field investigation and research, the Contractor shall prepare a report detailing the work accomplished, the results and recommendations for each project area. Copies of the draft and final reports of investigations shall be submitted in a form suitable for publication and be prepared in a format reflecting contemporary organizational and illustrative standards for current professional archaeological journals. The final report shall be typed on standard 8 1/2" x 11" bond paper with pages numbered and with page margin one inch at top, bottom, and sides. Photographs, plans, maps, drawings and text shall be clean and clear.

(3) The report shall include, but not necessarily be limited to, the following sections and items:

a. Title Page. The title page shall provide the following information: the type of task undertaken, the cultural resources which were assessed (archeological, historical, architectural); the project name and location (county and state), the date of the report; the Contractor's name; the contract number; the name of the author(s) and/or the Principal Investigator; and the agency for which the report is being prepared. If a report has been authored by someone other than the contract Principal Investigator, the Principal Investigator must at least prepare a foreword describing the overall research context of the report, the significance of the work, and any other related background circumstances relating to the manner in which the work was undertaken.

b. Abstract. An abstract suitable for publication in an abstract journal shall be prepared and shall consist of a brief, quotable summary

potential for informing the technically-oriented professional public of what the author considers to be the contributions of the investigation to knowledge.

c. Table of Contents.

d. Introduction. This section shall include the purpose of the report, a description of the proposed project, a map of the general area, a project map, and the date during which the task was conducted. The introduction shall also contain the name of the institution where recovered materials will be curated.

e. Environmental Context. This section shall contain, but not be limited to, a discussion of probable past floral and faunal characteristics of the project area. Since data in this section will be used in the evaluation of specific cultural resource significance, it is imperative that like quantity and quality of environmental data be sufficient to allow a detailed analysis of the relationship between past cultural activities and environmental variables.

f. Previous Research. This section shall describe previous research which may be useful in deriving or interpreting relevant background research data, problems, data base, or research questions and in providing a context in which to evaluate the probability of occurrence and significance of cultural resources in the study area.

g. Literature Search and Personnel Interviews. This section shall discuss the results of the literature search, including specific data sources, and personnel interviews conducted during the course of investigations.

h. Survey, Testing and Analytical Methods. This section shall contain an explicit discussion of the research design, and shall demonstrate how environmental data, previous research data, the literature search and personnel interviews have been utilized in constructing the strategy. Specifics regarding data and questions as well as methodological strategies adopted to address these questions should be included where possible.

i. Survey, Testing and Analytical Results. This section shall discuss archaeological, architectural, and historical resources surveyed, tested and analyzed, the nature and results of analysis, and the scientific importance of significance of the work. Quantified findings and descriptions of artifacts and their provenance shall be included in this section or added to the report as an appendix. Inventoried sites shall include a site number.

j. Recommendations.

(1) This section shall contain assessment of the eligibility of specific cultural properties in the study area for inclusion in the National Register of Historic Places.

(2) Significance shall be discussed explicitly in terms of previous regional and local research and relevant problem domains. Statements

concerning significance shall contain a detailed, well-reasoned argument for the property's research potential in contributing to the understanding of cultural patterns, processes or activities important to the history or prehistory of the locality, Region or nation, or other criteria of significance. Conclusions concerning significance, likewise, shall be fully documented and contain detailed and well-reasoned arguments as to why the property fails to display adequate research potential or other characteristics adequate to meet National Register criteria of significance. For example, conclusions concerning significance or insignificance relating solely to the lack of contextual integrity due to plow disturbance or the lack of subsurface deposits will be considered inadequate. Where appropriate, due consideration should be given to the date potential of such variables as site functional characteristics, horizontal insolece or intrasite spatial patterning of date and the importance of the site as a representative systematic element in cultural patterning. The Contractor should be guided, in this regard, by Archaeological Property Handbook by Tom King (Published in 1959), Vol. 1, No. 2). All report conclusions and recommendations shall be logically and explicitly derived from data discussed in the report.

(3) The significance or insignificance of cultural resources can be determined adequately only within the context of the most recent available local and regional date base. Consequently, the evaluation of specific individual cultural lots retained during the course of contract activities shall relate those resources not only to previously known cultural data but also to a synthesized corpus of data including that generated in the present study.

(4) The Contractor shall provide appropriate alternative mitigation measures for significant resources which will be adversely impacted. Data will be provided to support the need for mitigation, and the relative merits of each mitigation design will be discussed. Preservation of significant cultural resources is nearly always considered preferable to recovery of data through excavation. When a significant site can be preserved for a cost reasonably comparable to, or less than the cost required to recover the data, full consideration shall be given to this course of action.

k. References (American Antiquity style).

l. Appendices (maps, correspondence, etc.). A copy of this scope of work shall be included as an appendix to the report of investigations. C-5.4. The above items do not necessarily have to be discrete sections; however, they should be readily discernible to the reader.

C-5.5. In order to prevent potential damage to cultural resources, no information shall appear in the body of the report which would reveal precise resource location. All maps which indicate or imply precise site locations shall be included in reports as a readily readable appendix (at envelope).

C-5.6. No logo or other such organizational designation shall appear in any part of the report (including tables or figures) other than the title page. C-5.7. Unless specifically excluded by the Contracting Officer, all reports shall utilize permanent site numbers assigned by the state of Tennessee.

C-5.b. All appropriate information (including typologies and other classification units) not generated in these contract activities shall be suitably referenced.

C-5.y. Reports shall contain site specific maps. Site maps shall indicate site datum(s), location of data collection units, site boundaries in subsurface test units, and surface collection units, site boundaries in relation to proposed project activities, site grid systems (where appropriate), and such other items as the Contractor may deem appropriate to the purposes of this contract.

C-5.10. Information shall be presented in textual, tabular, and graphic forms, whichever are most appropriate, effective and advantageous to communicate necessary information. All tables, figures and maps appearing in the report shall be of publishable quality.

C-5.11. Any abbreviated phrase used in the text shall be spelled out when the phrase first occurs in the text. For example use "State Historic Preservation Officer (SHPO)" in the initial reference and thereafter "SHPO" may be used.

C-5.12. The first time the common name of a biological species is used it should be followed by the scientific name.

C-5.13. In addition to street addresses or property names, sites shall be located on the Universal Transverse Mercator (UTM) grid.

C-5.14. All measurements should be metric.

C-5.15. As appropriate, diagnostic and/or unique artifacts, cultural resources or their contexts shall be shown by drawings or photographs.

C-5.16. Black and white photographs are preferred except when color changes are apparent for understanding the date being presented. No instant type photographs shall be used.

C-5.17. Negatives of all black and white photographs and/or color slides of all places included in the final report shall be submitted to the Contracting Officer.

C-6. SUBMITTALS.

C-6.1. The Contractor shall submit 4 copies of the draft report and one unbound original and 25 bound copies of the final report which include appropriate revisions in response to the Contracting Officer's comments.

C-6.2. The Contractor shall submit under separate cover 3 copies of appropriate 15' quadrangle maps (7.5' when available) or other site drawings which show exact boundaries of all cultural resources within the project area and their relationship to project features, and single copies of all forms, records and photographs described in paragraph C-1.5. If cultural resources are not found, separate topographic maps need not be submitted.

C-6.3. The Contractor shall submit to the Contracting Officer completed National Register forms including photographs, maps, and drawings in accordance with the National Register Program, if any sites inventoried during the survey are found to meet the criteria of eligibility for nomination and for determination of significance. The completed National Register forms shall be submitted with the final report.

C-6.4. At any time during the period of service of this contract and upon the written request of the Contracting Officer, the Contractor shall submit, within 30 calendar days, any portion or all field records described in paragraph C-1.3, without additional cost to the Government.

C-6.5. When cultural resources are located during intensive survey activities, the Contractor shall supply the appropriate State Historic Preservation Office and the Contracting Officer with completed site forms, survey report summary sheets, maps or other forms as appropriate. Blank forms may be obtained from the State Historic Preservation Office. Copies of such completed forms and maps shall be submitted to the Contracting Officer within 30 calendar days of the end of field work.

C-6.6. The Contractor shall prepare and submit with the final report, a site card for each identified resource or aggregate resource. These site cards do not replace state approved prehistoric, historic, or architectural forms, or Contractor designed forms. These 5 X 8 inch cards shall be color-coded. White cards shall be used for prehistoric sites, blue cards for historic sites, green for architectural sites, and yellow cards for potentially significant sites. Sites fitting two or more categories shall have two or more appropriate cards. This site card shall contain the following information, to the degree permitted by the type of study authorized:

- a. Site number
- b. Site name
- c. Location, section, township, and UTM coordinates (for procedures in determining UTM coordinates, refer to How to Complete National Register Forms, National Register Program, Volume 2).
- d. County and state
- e. Quad map
- f. Date of record
- g. Description of site
- h. Condition of site
- i. Test excavation results
- j. Typical artifacts

b. Chronological position (if known)

1. Relation to project

a. Previous studies and present contract number

n. Additional remarks

c-8-7. Documentation. The Contractor shall submit detailed monthly progress reports to the Contracting Officer by the 7th day of every month for the duration of the contract. These reports will contain an accurate account of all field work, laboratory procedures and results in sufficient detail to allow monitoring of project progress. Two different 35mm color slides illustrating aspects of the investigation will be submitted with each monthly report.

c-8-8. Schedule.

c-8-9.1. The Contractor shall, unless delayed due to causes beyond his control and without his fault or negligence, complete all work and services under this contract within the following time limitations.

Activity

Completion Time (In days beginning with acknowledged date of receipt of notice to proceed)

Survey/Initial Testing	5
Submission of Draft Report of Investigations	45
Submission of Final Report of Investigations	85

c-8-9.2. The Contractor shall make any required corrections after review by the Contracting Officer. The Contracting Officer may defer Government review and receive pending receipt of review comments from the State Historic Preservation Officer or other reviewing agencies. More than one series of draft report corrections may be required. In the event that the Government review period (10 days) is exceeded and upon request of the Contractor, the contract period will be extended automatically on a calendar day for day basis. Such extension shall be granted at no additional cost to the government.

c-8-9.3. The Contractor shall, unless delayed due to causes beyond his control and without his fault or negligence, complete all work and services under this purchase order within 65 days after receipt of notice to proceed.

c-8. METHOD OF PAYMENT.

c-8-10. Upon satisfactory completion of work by the Contractor, in accordance with the regulations of this purchase order, and its acceptance by the

Contracting Officer, the Contractor will be paid the amount of money indicated in Block 25 of the purchase order.

c-8-2. If the Contractor's work is found to be unsatisfactory and if it is determined that fault or negligence on the part of the Contractor or his employee has caused the unsatisfactory condition, the Contractor will be liable for all costs in connection with correcting the unsatisfactory work. The work may be performed by Government forces or Contractor forces at the direction of the Contracting Officer. In any event, the Contractor will be held responsible for all costs required for correction of the unsatisfactory work, including payments for services, automotive expenses, equipment or all supervision, and any other costs in connection therewith, where such unsatisfactory work as desired by the Contracting Officer to be the result of carelessness, incompetence, performance or negligence by the Contractor's employees. The Contractor will not be held liable for any work or type of work not covered by this purchase order.

c-8-3. Prior to settlement upon termination of the purchase order, and as a condition precedent thereto, the Contractor shall execute and deliver to the Contracting Officer a release of all claims against the Government arising under or by virtue of the purchase order, other than such claims, if any, as may be specifically accepted by the Contractor from the operation of the release in stated amounts to be set forth herein.

END

FILMED

DATE:

4-93

DTIC